


Self Tapping Screws

Self-Tapping screws are designed to create a thread while turned, while also being suitable for wood, sheet metal and plastics.




Features	Applications
Countersunk Head ANSI (Unified) Type AB point DIN / ISO 7050 C	<ul style="list-style-type: none"> • Sheet Metal • Timber • Some Plastics

Finish	Material	Head
Polished	Stainless Steel (A2 304)	Countersunk Phillips Recess

Product Code SKU	Gauge		Length	Threads per inch (TPI)	Thread Length	Diameter D(mm)	Head Diameter	Phillips Drive (#)
	#	(mm)	(inch)		(mm)		A(mm)	
KSTC0406	4	2.9	1/4"	24	Full	2.74 - 2.89	4.96 - 5.71	1
KSTC0410	4	2.9	3/8"	24	Full	2.74 - 2.89	4.96 - 5.71	1
KSTC0412	4	2.9	1/2"	24	Full	2.74 - 2.89	4.96 - 5.71	1
KSTC0416	4	2.9	5/8"	24	Full	2.74 - 2.89	4.96 - 5.71	1
KSTC0420	4	2.9	3/4"	24	Full	2.74 - 2.89	4.96 - 5.71	1
KSTC0425	4	2.9	1"	24	Full	2.74 - 2.89	4.96 - 5.71	1
KSTC0610	6	3.5	3/8"	20	Full	3.35 - 3.53	6.20 - 7.08	2
KSTC0612	6	3.5	1/2"	20	Full	3.35 - 3.53	6.20 - 7.08	2
KSTC0616	6	3.5	5/8"	20	Full	3.35 - 3.53	6.20 - 7.08	2
KSTC0620	6	3.5	3/4"	20	Full	3.35 - 3.53	6.20 - 7.08	2
KSTC0625	6	3.5	1"	20	Full	3.35 - 3.53	6.20 - 7.08	2
KSTC0630	6	3.5	1-1/4"	20	Full	3.35 - 3.53	6.20 - 7.08	2
KSTC0640	6	3.5	1-1/2"	20	Full	3.35 - 3.53	6.20 - 7.08	2
KSTC0650	6	3.5	2"	20	Full	3.35 - 3.53	6.20 - 7.08	2

1300 532 803
sales@tower-tr.com.au
www.tower-tr.com.au


Disclaimer: every effort has been made to ensure the information provided in this document is accurate and up to date. However, Tower Fastening System does not guarantee or warrant the accuracy, completeness, or currency of the information provided.





Self Tapping Screws

Self-Tapping screws are designed to create a thread while turned, while also being suitable for wood, sheet metal and plastics.




Features	Applications
Countersunk Head ANSI (Unified) Type AB point DIN / ISO 7050 C	<ul style="list-style-type: none"> • Sheet Metal • Timber • Some Plastics

Finish	Material	Head
Polished	Stainless Steel (A2 304)	Countersunk Phillips Recess

Product Code SKU	Gauge		Length	Threads per inch (TPI)	Thread Length	Diameter D(mm)	Head Diameter	Phillips Drive
	#	(mm)	(inch)		(mm)		A(mm)	(#)
KSTC0810	8	4.2	3/8"	18	Full	4.04 - 4.21	7.42 - 8.43	2
KSTC0812	8	4.2	1/2"	18	Full	4.04 - 4.21	7.42 - 8.43	2
KSTC0816	8	4.2	5/8"	18	Full	4.04 - 4.21	7.42 - 8.43	2
KSTC0820	8	4.2	3/4"	18	Full	4.04 - 4.21	7.42 - 8.43	2
KSTC0825	8	4.2	1"	18	Full	4.04 - 4.21	7.42 - 8.43	2
KSTC0830	8	4.2	1-1/4"	18	Full	4.04 - 4.21	7.42 - 8.43	2
KSTC0840	8	4.2	1-1/2"	18	Full	4.04 - 4.21	7.42 - 8.43	2
KSTC0845	8	4.2	1-3/4"	18	Full	4.04 - 4.21	7.42 - 8.43	2
KSTC0850	8	4.2	2"	18	Full	4.04 - 4.21	7.42 - 8.43	2
KSTC0860	8	4.2	2-1/2"	18	Full	4.04 - 4.21	7.42 - 8.43	2
KSTC0875	8	4.2	3"	18	Full	4.04 - 4.21	7.42 - 8.43	2

1300 532 803
sales@tower-tr.com.au
www.tower-tr.com.au


Disclaimer: every effort has been made to ensure the information provided in this document is accurate and up to date. However, Tower Fastening System does not guarantee or warrant the accuracy, completeness, or currency of the information provided.





Self Tapping Screws

Self-Tapping screws are designed to create a thread while turned, while also being suitable for wood, sheet metal and plastics.




Features	Applications
Countersunk Head ANSI (Unified) Type AB point DIN / ISO 7050 C	<ul style="list-style-type: none"> • Sheet Metal • Timber • Some Plastics

Finish	Material	Head
Polished	Stainless Steel (A2 304)	Countersunk Phillips Recess

Product Code SKU	Gauge		Length (inch)	Threads per inch (TPI)	Thread Length (mm)	Diameter D(mm)	Head Diameter A(mm)	Phillips Drive (#)
	#	(mm)						
KSTC1010	10	4.8	3/8"	16	Full	4.62 - 4.80	8.64 - 9.77	2
KSTC1012	10	4.8	1/2"	16	Full	4.62 - 4.80	8.64 - 9.77	2
KSTC1016	10	4.8	5/8"	16	Full	4.62 - 4.80	8.64 - 9.77	2
KSTC1020	10	4.8	3/4"	16	Full	4.62 - 4.80	8.64 - 9.77	2
KSTC1025	10	4.8	1"	16	Full	4.62 - 4.80	8.64 - 9.77	2
KSTC1030	10	4.8	1-1/4"	16	Full	4.62 - 4.80	8.64 - 9.77	2
KSTC1040	10	4.8	1-1/2"	16	Full	4.62 - 4.80	8.64 - 9.77	2
KSTC1045	10	4.8	1-3/4"	16	Full	4.62 - 4.80	8.64 - 9.77	2
KSTC1050	10	4.8	2"	16	Full	4.62 - 4.80	8.64 - 9.77	2
KSTC1060	10	4.8	2-1/2"	16	Full	4.62 - 4.80	8.64 - 9.77	2
KSTC1075	10	4.8	3"	16	Full	4.62 - 4.80	8.64 - 9.77	2


1300 532 803
sales@tower-tr.com.au
www.tower-tr.com.au

Disclaimer: every effort has been made to ensure the information provided in this document is accurate and up to date. However, Tower Fastening System does not guarantee or warrant the accuracy, completeness, or currency of the information provided.



Self Tapping Screws

Self-Tapping screws are designed to create a thread while turned, while also being suitable for wood, sheet metal and plastics.




Features	Applications
Countersunk Head ANSI (Unified) Type AB point DIN / ISO 7050 C	<ul style="list-style-type: none"> • Sheet Metal • Timber • Some Plastics

Finish	Material	Head
Polished	Stainless Steel (A2 304)	Countersunk Phillips Recess

Product Code SKU	Gauge		Length (inch)	Threads per inch (TPI)	Thread Length (mm)	Diameter D(mm)	Head Diameter A(mm)	Phillips Drive (#)
	#	(mm)						
KSTC1212	12	5.5	1/2"	14	Full	5.31 - 5.46	9.88 - 11.12	3
KSTC1216	12	5.5	5/8"	14	Full	5.31 - 5.46	9.88 - 11.12	3
KSTC1220	12	5.5	3/4"	14	Full	5.31 - 5.46	9.88 - 11.12	3
KSTC1225	12	5.5	1"	14	Full	5.31 - 5.46	9.88 - 11.12	3
KSTC1230	12	5.5	1-1/4"	14	Full	5.31 - 5.46	9.88 - 11.12	3
KSTC1240	12	5.5	1-1/2"	14	Full	5.31 - 5.46	9.88 - 11.12	3
KSTC1250	12	5.5	2"	14	Full	5.31 - 5.46	9.88 - 11.12	3
KSTC1260	12	5.5	2-1/2"	14	Full	5.31 - 5.46	9.88 - 11.12	3
KSTC1275	12	5.5	3"	14	Full	5.31 - 5.46	9.88 - 11.12	3


1300 532 803
sales@tower-tr.com.au
www.tower-tr.com.au

Disclaimer: every effort has been made to ensure the information provided in this document is accurate and up to date. However, Tower Fastening System does not guarantee or warrant the accuracy, completeness, or currency of the information provided.



Self Tapping Screws

Self-Tapping screws are designed to create a thread while turned, while also being suitable for wood, sheet metal and plastics.



Features	Applications
Countersunk Head ANSI (Unified) Type AB point DIN / ISO 7050 C	<ul style="list-style-type: none"> • Sheet Metal • Timber • Some Plastics

Finish	Material	Head
Polished	Stainless Steel (A2 304)	Countersunk Phillips Recess

Product Code SKU	Gauge		Length (inch)	Threads per inch (TPI)	Thread Length (mm)	Diameter D(mm)	Head Diameter A(mm)	Phillips Drive (#)
	#	(mm)						
KSTC1412	14	6.3	1/2"	14	Full	6.02 - 6.25	11.49 - 12.87	3
KSTC1416	14	6.3	5/8"	14	Full	6.02 - 6.25	11.49 - 12.87	3
KSTC1420	14	6.3	3/4"	14	Full	6.02 - 6.25	11.49 - 12.87	3
KSTC1425	14	6.3	1"	14	Full	6.02 - 6.25	11.49 - 12.87	3
KSTC1430	14	6.3	1-1/4"	14	Full	6.02 - 6.25	11.49 - 12.87	3
KSTC1440	14	6.3	1-1/2"	14	Full	6.02 - 6.25	11.49 - 12.87	3
KSTC1440	14	6.3	1-1/2"	14	Full	6.02 - 6.25	11.49 - 12.87	3
KSTC1450	14	6.3	2"	14	Full	6.02 - 6.25	11.49 - 12.87	3
KSTC1460	14	6.3	2-1/2"	14	Full	6.02 - 6.25	11.49 - 12.87	3
KSTC1475	14	6.3	3"	14	Full	6.02 - 6.25	11.49 - 12.87	3

1300 532 803
sales@tower-tr.com.au
www.tower-tr.com.au

Disclaimer: every effort has been made to ensure the information provided in this document is accurate and up to date. However, Tower Fastening System does not guarantee or warrant the accuracy, completeness, or currency of the information provided.

