




Self-Tapping screws are designed to create a thread while turned, while also being suitable for wood, sheet metal and plastics.




Features	Applications
Pan Head ANSI (Unified) Type AB point DIN / ISO 7049 C	Sheet MetalTimberSome Plastics






Finish	Material	Head
Polished	Stainless Steel (A2 304)	Pan Phillips Recess

Product Code SKU	Ga	auge	Length	Threads per inch	Thread Length	Diameter	Head Diameter	Head Height	Phillips Drive
	#	(mm)	(inch)	(TPI)	(mm)	D(mm)	A(mm)	H(mm)	(#)
KSTP0406	4	2.9	1/4"	24	Full	2.74 - 2.89	5.21 - 5.56	1.78 - 2.03	1
KSTP0410	4	2.9	3/8"	24	Full	2.74 - 2.89	5.21 - 5.56	1.78 - 2.03	1
KSTP0412	4	2.9	1/2"	24	Full	2.74 - 2.89	5.21 - 5.56	1.78 - 2.03	1
KSTP0416	4	2.9	5/8"	24	Full	2.74 - 2.89	5.21 - 5.56	1.78 - 2.03	1
KSTP0420	4	2.9	3/4"	24	Full	2.74 - 2.89	5.21 - 5.56	1.78 - 2.03	1
KSTP0425	4	2.9	1"	24	Full	2.74 - 2.89	5.21 - 5.56	1.78 - 2.03	1
KSTP0430	4	2.9	1-1/4"	24	Full	2.74 - 2.89	5.21 - 5.56	1.78 - 2.03	1
KSTP0440	4	2.9	1-1/2"	24	Full	2.74 - 2.89	5.21 - 5.56	1.78 - 2.03	1










Self-Tapping screws are designed to create a thread while turned, while also being suitable for wood, sheet metal and plastics.




pidotios.	
Features	Applications
Pan Head ANSI (Unified) Type AB point DIN / ISO 7049 C	Sheet MetalTimberSome Plastics






Finish	Material	Head
Polished	Stainless Steel (A2 304)	Pan Phillips Recess

Product Code SKU	Ga	auge	Length	Threads per inch	Thread Length	Diameter	Head Diameter	Head Height	Phillips Drive
	#	(mm)	(inch)	(TPI)	(mm)	D(mm)	A(mm)	H(mm)	(#)
KSTP0610	6	3.5	3/8"	20	Full	3.35 - 3.53	6.50 - 6.85	2.21 - 2.46	2
KSTP0612	6	3.5	1/2"	20	Full	3.35 - 3.53	6.50 - 6.85	2.21 - 2.46	2
KSTP0616	6	3.5	5/8"	20	Full	3.35 - 3.53	6.50 - 6.85	2.21 - 2.46	2
KSTP0620	6	3.5	3/4"	20	Full	3.35 - 3.53	6.50 - 6.85	2.21 - 2.46	2
KSTP0625	6	3.5	1"	20	Full	3.35 - 3.53	6.50 - 6.85	2.21 - 2.46	2
KSTP0630	6	3.5	1-1/4"	20	Full	3.35 - 3.53	6.50 - 6.85	2.21 - 2.46	2
KSTP0640	6	3.5	1-1/2"	20	Full	3.35 - 3.53	6.50 - 6.85	2.21 - 2.46	2
KSTP0650	6	3.5	2"	20	Full	3.35 - 3.53	6.50 - 6.85	2.21 - 2.46	2
KSTP0660	6	3.5	2-1/2"	20	Full	3.35 - 3.53	6.50 - 6.85	2.21 - 2.46	2
KSTP0675	6	3.5	3"	20	Full	3.35 - 3.53	6.50 - 6.85	2.21 - 2.46	2










Self-Tapping screws are designed to create a thread while turned, while also being suitable for wood, sheet metal and plastics.

Features	Applications
Pan Head ANSI (Unified) Type AB point DIN / ISO 7049 C	Sheet MetalTimberSome Plastics






Finish	Material	Head
Polished	Stainless Steel (A2 304)	Pan Phillips Recess

Product Code SKU	Ga	auge	Length	Threads per inch	Thread Length	Diameter	Head Diameter	Head Height	Phillips Drive
	#	(mm)	(inch)	(TPI)	(mm)	D(mm)	A(mm)	H(mm)	(#)
KSTP0810	8	4.2	3/8"	18	Full	4.04 - 4.21	7.77 - 8.17	2.67 - 2.92	2
KSTP0812	8	4.2	1/2"	18	Full	4.04 - 4.21	7.77 - 8.17	2.67 - 2.92	2
KSTP0816	8	4.2	5/8"	18	Full	4.04 - 4.21	7.77 - 8.17	2.67 - 2.92	2
KSTP0820	8	4.2	3/4"	18	Full	4.04 - 4.21	7.77 - 8.17	2.67 - 2.92	2
KSTP0825	8	4.2	1"	18	Full	4.04 - 4.21	7.77 - 8.17	2.67 - 2.92	2
KSTP0830	8	4.2	1-1/4"	18	Full	4.04 - 4.21	7.77 - 8.17	2.67 - 2.92	2
KSTP0840	8	4.2	1-1/2"	18	Full	4.04 - 4.21	7.77 - 8.17	2.67 - 2.92	2
KSTP0845	8	4.2	1-3/4"	18	Full	4.04 - 4.21	7.77 - 8.17	2.67 - 2.92	2
KSTP0850	8	4.2	2"	18	Full	4.04 - 4.21	7.77 - 8.17	2.67 - 2.92	2
KSTP0860	8	4.2	2-1/2"	18	Full	4.04 - 4.21	7.77 - 8.17	2.67 - 2.92	2
KSTP0875	8	4.2	3"	18	Full	4.04 - 4.21	7.77 - 8.17	2.67 - 2.92	2

1300 532 803 sales@tower-tr.com.au www.tower-tr.com.au

Disclaimer: every effort has been made to ensure the information provided in this document is accurate and up to date. However, Tower Fastening System does not guarantee or warrant the accuracy, completeness, or currency of the information provided.

©TOWER Fastening System. All rights reserved. Version: 2309







Applications

Self Tapping Screws


Features

Self-Tapping screws are designed to create a thread while turned, while also being suitable for wood, sheet metal and plastics.











Pan Head	•	Sheet Metal	Finish	Material	Head
ANSI (Unified) Type AB point DIN / ISO 7049 C	•	Timber Some Plastics	Polished	Stainless Steel (A2 304)	Pan Phillips Recess

Product Code SKU	Ga	nuge	Length	Threads per inch	Thread Length	Diameter	Head Diameter	Head Height	Phillips Drive
	#	(mm)	(inch)	(TPI)	(mm)	D(mm)	A(mm)	H(mm)	(#)
KSTP1010	10	4.8	3/8"	16	Full	4.62 - 4.80	9.01 - 9.47	3.10 - 3.37	2
KSTP1012	10	4.8	1/2"	16	Full	4.62 - 4.80	9.01 - 9.47	3.10 - 3.37	2
KSTP1016	10	4.8	5/8"	16	Full	4.62 - 4.80	9.01 - 9.47	3.10 - 3.37	2
KSTP1020	10	4.8	3/4"	16	Full	4.62 - 4.80	9.01 - 9.47	3.10 - 3.37	2
KSTP1025	10	4.8	1"	16	Full	4.62 - 4.80	9.01 - 9.47	3.10 - 3.37	2
KSTP1030	10	4.8	1-1/4"	16	Full	4.62 - 4.80	9.01 - 9.47	3.10 - 3.37	2
KSTP1040	10	4.8	1-1/2"	16	Full	4.62 - 4.80	9.01 - 9.47	3.10 - 3.37	2
KSTP1045	10	4.8	1-3/4"	16	Full	4.62 - 4.80	9.01 - 9.47	3.10 - 3.37	2
KSTP1050	10	4.8	2"	16	Full	4.62 - 4.80	9.01 - 9.47	3.10 - 3.37	2
KSTP1060	10	4.8	2-1/2"	16	Full	4.62 - 4.80	9.01 - 9.47	3.10 - 3.37	2
KSTP1075	10	4.8	3"	16	Full	4.62 - 4.80	9.01 - 9.47	3.10 - 3.37	2










Self-Tapping screws are designed to create a thread while turned, while also being suitable for wood, sheet metal and plastics.











Features	Applications
Pan Head ANSI (Unified) Type AB point DIN / ISO 7049 C	Sheet MetalTimberSome Plastics

Finish	Material	Head
Polished	Stainless Steel (A2 304)	Pan PhillipsRecess

Product Code SKU	Gauge		Length	Threads per inch	Thread Length	Diameter	Head Diameter	Head Height	Phillips Drive
	#	(mm)	(inch)	(TPI)	(mm)	D(mm)	A(mm)	H(mm)	(#)
KSTP1212	12	5.5	1/2"	14	Full	5.31 - 5.46	1.34 - 10.79	3.53 - 3.83	3
KSTP1216	12	5.5	5/8"	14	Full	5.31 - 5.46	1.34 - 10.79	3.53 - 3.83	3
KSTP1220	12	5.5	3/4"	14	Full	5.31 - 5.46	1.34 - 10.79	3.53 - 3.83	3
KSTP1225	12	5.5	1"	14	Full	5.31 - 5.46	1.34 - 10.79	3.53 - 3.83	3
KSTP1230	12	5.5	1-1/4"	14	Full	5.31 - 5.46	1.34 - 10.79	3.53 - 3.83	3
KSTP1240	12	5.5	1-1/2"	14	Full	5.31 - 5.46	1.34 - 10.79	3.53 - 3.83	3
KSTP1250	12	5.5	2"	14	Full	5.31 - 5.46	1.34 - 10.79	3.53 - 3.83	3
KSTP1260	12	5.5	2-1/2"	14	Full	5.31 - 5.46	1.34 - 10.79	3.53 - 3.83	3
KSTP1275	12	5.5	3"	14	Full	5.31 - 5.46	1.34 - 10.79	3.53 - 3.83	3










Self-Tapping screws are designed to create a thread while turned, while also being suitable for wood, sheet metal and plastics.



Features	Applications
Pan Head ANSI (Unified) Type AB point DIN / ISO 7049 C	Sheet MetalTimberSome Plastics





Finish	Material	Head
Polished	Stainless Steel (A2 304)	Pan Phillips Recess

Product Code SKU	Ga	luge	Length	Threads per inch	Thread Length	Diameter	Head Diameter	Head Height	Phillips Drive
	#	(mm)	(inch)	(TPI)	(mm)	D(mm)	A(mm)	H(mm)	(#)
KSTP1412	14	6.3	1/2"	14	Full	6.02 - 6.25	12.01 - 12.49	4.11 - 4.44	3
KSTP1416	14	6.3	5/8"	14	Full	6.02 - 6.25	12.01 - 12.49	4.11 - 4.44	3
KSTP1420	14	6.3	3/4"	14	Full	6.02 - 6.25	12.01 - 12.49	4.11 - 4.44	3
KSTP1425	14	6.3	1"	14	Full	6.02 - 6.25	12.01 - 12.49	4.11 - 4.44	3
KSTP1430	14	6.3	1-1/4"	14	Full	6.02 - 6.25	12.01 - 12.49	4.11 - 4.44	3
KSTP1440	14	6.3	1-1/2"	14	Full	6.02 - 6.25	12.01 - 12.49	4.11 - 4.44	3
KSTP1445	14	6.3	1-3/4"	14	Full	6.02 - 6.25	12.01 - 12.49	4.11 - 4.44	3
KSTP1450	14	6.3	2"	14	Full	6.02 - 6.25	12.01 - 12.49	4.11 - 4.44	3
KSTP1460	14	6.3	2-1/2"	14	Full	6.02 - 6.25	12.01 - 12.49	4.11 - 4.44	3
KSTP1475	14	6.3	3"	14	Full	6.02 - 6.25	12.01 - 12.49	4.11 - 4.44	3
KSTP1490	14	6.3	3-1/2"	14	Full	6.02 - 6.25	12.01 - 12.49	4.11 - 4.44	3
KSTP14100	14	6.3	4"	14	Full	6.02 - 6.25	12.01 - 12.49	4.11 - 4.44	3

