


Self-Tapping screws are designed to create a thread while turned, while also being suitable for wood, sheet metal and plastics.






Features	Applications
Countersunk Head ANSI (Unified) Type AB point DIN / ISO 7050 C	SheetTimberSome

•	Sheet Metal
•	Timber
•	Some Plastics

Finish	Material	Head
Zinc Plated	Carbon Steel	Countersunk PhillipsRecess

Product Code	Ga	uge	Length	Threads per	Thread Length	Diameter	Head Diameter	Phillips Drive
SKU	#	(mm)	(inch)	_inch (TPI)_	(mm)	D(mm)	A(mm)	(#)
STC0406	4	2.9	1/4"	24	Full	2.74 - 2.89	4.96 - 5.71	1
STC0410	4	2.9	3/8"	24	Full	2.74 - 2.89	4.96 - 5.71	1
STC0412	4	2.9	1/2"	24	Full	2.74 - 2.89	4.96 - 5.71	1
STC0416	4	2.9	5/8"	24	Full	2.74 - 2.89	4.96 - 5.71	1
STC0420	4	2.9	3/4"	24	Full	2.74 - 2.89	4.96 - 5.71	1
STC0425	4	2.9	1"	24	Full	2.74 - 2.89	4.96 - 5.71	1
STC0430	4	2.9	1-1/4"	24	Full	2.74 - 2.89	4.96 - 5.71	1
STC0440	4	2.9	1-1/2"	24	Full	2.74 - 2.89	4.96 - 5.71	1
STC0512	5	3.2	1/2"	20	Full	3.20 - 3.30	5.60 - 6.40	2
STC0516	5	3.2	5/8"	20	Full	3.20 - 3.30	5.60 - 6.40	2
STC0520	5	3.2	3/4"	20	Full	3.20 - 3.30	5.60 - 6.40	2
STC0525	5	3.2	1"	20	Full	3.20 - 3.30	5.60 - 6.40	2
STC0530	5	3.2	1-1/4"	20	Full	3.20 - 3.30	5.60 - 6.40	2
STC0540	5	3.2	1-1/2"	20	Full	3.20 - 3.30	5.60 - 6.40	2


1300 532 803 sales@tower-tr.com.au www.tower-tr.com.au





Self-Tapping screws are designed to create a thread while turned, while also being suitable for wood, sheet metal and plastics.






Features	Applications
Countersunk Head ANSI (Unified) Type AB point DIN / ISO 7050 C	Sheet MetalTimberSome Plastics

Finish	Material	Head
Zinc Plated	Carbon Steel C1022	Countersunk PhillipsRecess

Product Code	Ga	uge	Length	Threads per	Thread Length	Diameter	Head Diameter	Phillips Drive
SKU	#	(mm)	(inch)	inch (TPI)	(mm)	D(mm)	A(mm)	(#)
STC0610	6	3.5	3/8"	20	Full	3.35 - 3.53	6.20 - 7.08	2
STC0612	6	3.5	1/2"	20	Full	3.35 - 3.53	6.20 - 7.08	2
STC0616	6	3.5	5/8"	20	Full	3.35 - 3.53	6.20 - 7.08	2
STC0620	6	3.5	3/4"	20	Full	3.35 - 3.53	6.20 - 7.08	2
STC0625	6	3.5	1"	20	Full	3.35 - 3.53	6.20 - 7.08	2
STC0630	6	3.5	1-1/4"	20	Full	3.35 - 3.53	6.20 - 7.08	2
STC0640	6	3.5	1-1/2"	20	Full	3.35 - 3.53	6.20 - 7.08	2
STC0650	6	3.5	2"	20	Full	3.35 - 3.53	6.20 - 7.08	2
STC0660	6	3.5	2-1/2"	20	Full	3.35 - 3.53	6.20 - 7.08	2
STC0675	6	3.5	3"	20	Full	3.35 - 3.53	6.20 - 7.08	2

1300 532 803 sales@tower-tr.com.au www.tower-tr.com.au


Disclaimer: every effort has been made to ensure the information provided in this document is accurate and up to date. However, Tower Fastening System does not guarantee or warrant the accuracy, completeness, or currency of the information provided.



Product Data








Self-Tapping screws are designed to create a thread while turned, while also being suitable for wood, sheet metal and plastics.

Features	Applications			
Countersunk Head ANSI (Unified) Type AB point DIN / ISO 7050 C	Sheet Metal	Finish	Material	Head
	Timber Some Plastics	Zinc Plated	Carbon Steel C1022	Countersunk PhillipsRecess


Product Code	Ga	luge	Length	Threads per	Thread Length	Diameter	Head Diameter	Phillips Drive
SKU	#	(mm)	(inch)	inch (TPI)	(mm)	D(mm)	A(mm)	(#)
STC0810	8	4.2	3/8"	18	Full	4.04 - 4.21	7.42 - 8.43	2
STC0812	8	4.2	1/2"	18	Full	4.04 - 4.21	7.42 - 8.43	2
STC0816	8	4.2	5/8"	18	Full	4.04 - 4.21	7.42 - 8.43	2
STC0820	8	4.2	3/4"	18	Full	4.04 - 4.21	7.42 - 8.43	2
STC0825	8	4.2	1"	18	Full	4.04 - 4.21	7.42 - 8.43	2
STC0830	8	4.2	1-1/4"	18	Full	4.04 - 4.21	7.42 - 8.43	2
STC0840	8	4.2	1-1/2"	18	Full	4.04 - 4.21	7.42 - 8.43	2
STC0845	8	4.2	1-3/4"	18	Full	4.04 - 4.21	7.42 - 8.43	2
STC0850	8	4.2	2"	18	Full	4.04 - 4.21	7.42 - 8.43	2
STC0860	8	4.2	2-1/2"	18	Full	4.04 - 4.21	7.42 - 8.43	2
STC0875	8	4.2	3"	18	Full	4.04 - 4.21	7.42 - 8.43	2

1300 532 803 sales@tower-tr.com.au www.tower-tr.com.au










Self-Tapping screws are designed to create a thread while turned, while also being suitable for wood, sheet metal and plastics.

Features	Applications			
Countersunk Head ANSI (Unified) Type AB point DIN / ISO 7050 C	Sheet Metal	Finish	Material	Head
	Timber Some Plastics	Zinc Plated	Carbon Steel C1022	Countersunk PhillipsRecess


Product Code	Ga	uge	Length	Threads per	Thread Length	Diameter	Head Diameter	Phillips Drive
SKU	#	(mm)	(inch)	inch (TPI)	(mm)	D(mm)	A(mm)	(#)
STC1010	10	4.8	3/8"	16	Full	4.62 - 4.80	8.64 - 9.77	2
STC1012	10	4.8	1/2"	16	Full	4.62 - 4.80	8.64 - 9.77	2
STC1016	10	4.8	5/8"	16	Full	4.62 - 4.80	8.64 - 9.77	2
STC1020	10	4.8	3/4"	16	Full	4.62 - 4.80	8.64 - 9.77	2
STC1025	10	4.8	1"	16	Full	4.62 - 4.80	8.64 - 9.77	2
STC1030	10	4.8	1-1/4"	16	Full	4.62 - 4.80	8.64 - 9.77	2
STC1040	10	4.8	1-1/2"	16	Full	4.62 - 4.80	8.64 - 9.77	2
STC1045	10	4.8	1-3/4"	16	Full	4.62 - 4.80	8.64 - 9.77	2
STC1050	10	4.8	2"	16	Full	4.62 - 4.80	8.64 - 9.77	2
STC1060	10	4.8	2-1/2"	16	Full	4.62 - 4.80	8.64 - 9.77	2
STC1075	10	4.8	3"	16	Full	4.62 - 4.80	8.64 - 9.77	2

1300 532 803 sales@tower-tr.com.au www.tower-tr.com.au










Self-Tapping screws are designed to create a thread while turned, while also being suitable for wood, sheet metal and plastics.

Features	Applications			
Countersunk Head ANSI (Unified) Type AB point DIN / ISO 7050 C	Sheet MetalTimberSome Plastics	Finish	Material	Head
		Zinc Plated	Carbon Steel C1022	Countersunk PhillipsRecess


Product Code SKU	Gauge		Length	Threads per	Thread Length	Diameter	Head Diameter	Phillips Drive
	#	(mm)	(inch)	inch (TPI)	(mm)	D(mm)	A(mm)	(#)
STC1212	12	5.5	1/2"	14	Full	5.31 - 5.46	9.88 - 11.12	3
STC1216	12	5.5	5/8"	14	Full	5.31 - 5.46	9.88 - 11.12	3
STC1220	12	5.5	3/4"	14	Full	5.31 - 5.46	9.88 - 11.12	3
STC1225	12	5.5	1"	14	Full	5.31 - 5.46	9.88 - 11.12	3
STC1230	12	5.5	1-1/4"	14	Full	5.31 - 5.46	9.88 - 11.12	3
STC1240	12	5.5	1-1/2"	14	Full	5.31 - 5.46	9.88 - 11.12	3
STC1250	12	5.5	2"	14	Full	5.31 - 5.46	9.88 - 11.12	3
STC1260	12	5.5	2-1/2"	14	Full	5.31 - 5.46	9.88 - 11.12	3
STC1275	12	5.5	3"	14	Full	5.31 - 5.46	9.88 - 11.12	3

1300 532 803 sales@tower-tr.com.au www.tower-tr.com.au









Self-Tapping screws are designed to create a thread while turned, while also being suitable for wood, sheet metal and plastics.

Features	Applications			
Countersunk Head	Sheet Metal	Finish	Material	Head
ANSI (Unified) Type AB point DIN / ISO 7050 C	TimberSome Plastics	Zinc Plated	Carbon Steel C1022	Countersunk PhillipsRecess

Product Code SKU	Gauge		Length	Threads per	Thread Length	Diameter	Head Diameter	Phillips Drive
	#	(mm)	(inch)	inch (TPI)	(mm)	D(mm)	A(mm)	(#)
STC1412	14	6.3	1/2"	14	Full	6.02 - 6.25	11.49 - 12.87	3
STC1416	14	6.3	5/8"	14	Full	6.02 - 6.25	11.49 - 12.87	3
STC1420	14	6.3	3/4"	14	Full	6.02 - 6.25	11.49 - 12.87	3
STC1425	14	6.3	1"	14	Full	6.02 - 6.25	11.49 - 12.87	3
STC1430	14	6.3	1-1/4"	14	Full	6.02 - 6.25	11.49 - 12.87	3
STC1440	14	6.3	1-1/2"	14	Full	6.02 - 6.25	11.49 - 12.87	3
STC1450	14	6.3	2"	14	Full	6.02 - 6.25	11.49 - 12.87	3
STC1460	14	6.3	2-1/2"	14	Full	6.02 - 6.25	11.49 - 12.87	3
STC1475	14	6.3	3"	14	Full	6.02 - 6.25	11.49 - 12.87	3

1300 532 803 sales@tower-tr.com.au www.tower-tr.com.au

