


## Self Tapping Screws

Self-Tapping screws are designed to create a thread while turned, while also being suitable for wood, sheet metal and plastics.




Features	Applications
Pan Head ANSI (Unified) Type AB point DIN / ISO 7049 C	<ul style="list-style-type: none"> <li>• Sheet Metal</li> <li>• Timber</li> <li>• Some Plastics</li> </ul>

Finish	Material	Head
Zinc Plated	Carbon Steel	Pan Phillips Recess

Product Code SKU	Gauge		Length (inch)	Threads per inch (TPI)	Thread Length (mm)	Diameter D(mm)	Head Diameter A(mm)	Head Height H(mm)	Phillips Drive (#)
	#	(mm)							
STP0406	4	2.9	1/4"	24	Full	2.74 - 2.89	5.21 - 5.56	1.78 - 2.03	1
STP0410	4	2.9	3/8"	24	Full	2.74 - 2.89	5.21 - 5.56	1.78 - 2.03	1
STP0412	4	2.9	1/2"	24	Full	2.74 - 2.89	5.21 - 5.56	1.78 - 2.03	1
STP0416	4	2.9	5/8"	24	Full	2.74 - 2.89	5.21 - 5.56	1.78 - 2.03	1
STP0420	4	2.9	3/4"	24	Full	2.74 - 2.89	5.21 - 5.56	1.78 - 2.03	1
STP0425	4	2.9	1"	24	Full	2.74 - 2.89	5.21 - 5.56	1.78 - 2.03	1
STP0430	4	2.9	1-1/4"	24	Full	2.74 - 2.89	5.21 - 5.56	1.78 - 2.03	1
STP0440	4	2.9	1-1/2"	24	Full	2.74 - 2.89	5.21 - 5.56	1.78 - 2.03	1
STP0512	5	3.2	1/2"	20	Full	3.20 - 3.30	5.87 - 6.22	1.66 - 1.90	2
STP0516	5	3.2	5/8"	20	Full	3.20 - 3.30	5.87 - 6.22	1.66 - 1.90	2
STP0530	5	3.2	1-1/4"	20	Full	3.20 - 3.30	5.87 - 6.22	1.66 - 1.90	2
STP0540	5	3.2	1-1/2"	20	Full	3.20 - 3.30	5.87 - 6.22	1.66 - 1.90	2


1300 532 803  
[sales@tower-tr.com.au](mailto:sales@tower-tr.com.au)  
[www.tower-tr.com.au](http://www.tower-tr.com.au)

Disclaimer: every effort has been made to ensure the information provided in this document is accurate and up to date. However, Tower Fastening System does not guarantee or warrant the accuracy, completeness, or currency of the information provided.



## Self Tapping Screws

Self-Tapping screws are designed to create a thread while turned, while also being suitable for wood, sheet metal and plastics.




Features	Applications
Pan Head ANSI (Unified) Type AB point DIN / ISO 7049 C	<ul style="list-style-type: none"> <li>• Sheet Metal</li> <li>• Timber</li> <li>• Some Plastics</li> </ul>


Finish	Material	Head
Zinc Plated	Carbon Steel	Pan Phillips Recess

Product Code SKU	Gauge		Length (inch)	Threads per inch (TPI)	Thread Length (mm)	Diameter D(mm)	Head Diameter A(mm)	Head Height H(mm)	Phillips Drive (#)
	#	(mm)							
STP0610	6	3.5	3/8"	20	Full	3.35 - 3.53	6.50 - 6.85	2.21 - 2.46	2
STP0612	6	3.5	1/2"	20	Full	3.35 - 3.53	6.50 - 6.85	2.21 - 2.46	2
STP0616	6	3.5	5/8"	20	Full	3.35 - 3.53	6.50 - 6.85	2.21 - 2.46	2
STP0620	6	3.5	3/4"	20	Full	3.35 - 3.53	6.50 - 6.85	2.21 - 2.46	2
STP0625	6	3.5	1"	20	Full	3.35 - 3.53	6.50 - 6.85	2.21 - 2.46	2
STP0630	6	3.5	1-1/4"	20	Full	3.35 - 3.53	6.50 - 6.85	2.21 - 2.46	2
STP0640	6	3.5	1-1/2"	20	Full	3.35 - 3.53	6.50 - 6.85	2.21 - 2.46	2
STP0650	6	3.5	2"	20	Full	3.35 - 3.53	6.50 - 6.85	2.21 - 2.46	2
STP0660	6	3.5	2-1/2"	20	Full	3.35 - 3.53	6.50 - 6.85	2.21 - 2.46	2
STP0675	6	3.5	3"	20	Full	3.35 - 3.53	6.50 - 6.85	2.21 - 2.46	2

1300 532 803  
[sales@tower-tr.com.au](mailto:sales@tower-tr.com.au)  
[www.tower-tr.com.au](http://www.tower-tr.com.au)

Disclaimer: every effort has been made to ensure the information provided in this document is accurate and up to date. However, Tower Fastening System does not guarantee or warrant the accuracy, completeness, or currency of the information provided.





## Self Tapping Screws

Self-Tapping screws are designed to create a thread while turned, while also being suitable for wood, sheet metal and plastics.


Features	Applications
Pan Head ANSI (Unified) Type AB point DIN / ISO 7049 C	<ul style="list-style-type: none"> <li>• Sheet Metal</li> <li>• Timber</li> <li>• Some Plastics</li> </ul>


Finish	Material	Head
Zinc Plated	Carbon Steel C1022	Pan PhillipsRecess

Product Code SKU	Gauge		Length	Threads per inch (TPI)	Thread Length	Diameter	Head Diameter	Head Height	Phillips Drive
	#	(mm)	(inch)			(mm)	D(mm)	A(mm)	H(mm)
STP0810	8	4.2	3/8"	18	Full	4.04 - 4.21	7.77 - 8.17	2.67 - 2.92	2
STP0812	8	4.2	1/2"	18	Full	4.04 - 4.21	7.77 - 8.17	2.67 - 2.92	2
STP0816	8	4.2	5/8"	18	Full	4.04 - 4.21	7.77 - 8.17	2.67 - 2.92	2
STP0820	8	4.2	3/4"	18	Full	4.04 - 4.21	7.77 - 8.17	2.67 - 2.92	2
STP0825	8	4.2	1"	18	Full	4.04 - 4.21	7.77 - 8.17	2.67 - 2.92	2
STP0830	8	4.2	1-1/4"	18	Full	4.04 - 4.21	7.77 - 8.17	2.67 - 2.92	2
STP0840	8	4.2	1-1/2"	18	Full	4.04 - 4.21	7.77 - 8.17	2.67 - 2.92	2
STP0845	8	4.2	1-3/4"	18	Full	4.04 - 4.21	7.77 - 8.17	2.67 - 2.92	2
STP0850	8	4.2	2"	18	Full	4.04 - 4.21	7.77 - 8.17	2.67 - 2.92	2
STP0860	8	4.2	2-1/2"	18	Full	4.04 - 4.21	7.77 - 8.17	2.67 - 2.92	2
STP0875	8	4.2	3"	18	Full	4.04 - 4.21	7.77 - 8.17	2.67 - 2.92	2

1300 532 803  
[sales@tower-tr.com.au](mailto:sales@tower-tr.com.au)  
[www.tower-tr.com.au](http://www.tower-tr.com.au)

Disclaimer: every effort has been made to ensure the information provided in this document is accurate and up to date. However, Tower Fastening System does not guarantee or warrant the accuracy, completeness, or currency of the information provided.





## Self Tapping Screws

Self-Tapping screws are designed to create a thread while turned, while also being suitable for wood, sheet metal and plastics.


Features	Applications
Pan Head ANSI (Unified) Type AB point DIN / ISO 7049 C	<ul style="list-style-type: none"> <li>• Sheet Metal</li> <li>• Timber</li> <li>• Some Plastics</li> </ul>


Finish	Material	Head
Zinc Plated	Carbon Steel C1022	Pan PhillipsRecess

Product Code SKU	Gauge		Length	Threads per inch (TPI)	Thread Length	Diameter	Head Diameter	Head Height	Phillips Drive
	#	(mm)	(inch)			(mm)	D(mm)	A(mm)	H(mm)
STP1010	10	4.8	3/8"	16	Full	4.62 - 4.80	9.01 - 9.47	3.10 - 3.37	2
STP1012	10	4.8	1/2"	16	Full	4.62 - 4.80	9.01 - 9.47	3.10 - 3.37	2
STP1016	10	4.8	5/8"	16	Full	4.62 - 4.80	9.01 - 9.47	3.10 - 3.37	2
STP1020	10	4.8	3/4"	16	Full	4.62 - 4.80	9.01 - 9.47	3.10 - 3.37	2
STP1025	10	4.8	1"	16	Full	4.62 - 4.80	9.01 - 9.47	3.10 - 3.37	2
STP1030	10	4.8	1-1/4"	16	Full	4.62 - 4.80	9.01 - 9.47	3.10 - 3.37	2
STP1040	10	4.8	1-1/2"	16	Full	4.62 - 4.80	9.01 - 9.47	3.10 - 3.37	2
STP1045	10	4.8	1-3/4"	16	Full	4.62 - 4.80	9.01 - 9.47	3.10 - 3.37	2
STP1050	10	4.8	2"	16	Full	4.62 - 4.80	9.01 - 9.47	3.10 - 3.37	2
STP1060	10	4.8	2-1/2"	16	Full	4.62 - 4.80	9.01 - 9.47	3.10 - 3.37	2
STP1075	10	4.8	3"	16	Full	4.62 - 4.80	9.01 - 9.47	3.10 - 3.37	2

1300 532 803  
[sales@tower-tr.com.au](mailto:sales@tower-tr.com.au)  
[www.tower-tr.com.au](http://www.tower-tr.com.au)

Disclaimer: every effort has been made to ensure the information provided in this document is accurate and up to date. However, Tower Fastening System does not guarantee or warrant the accuracy, completeness, or currency of the information provided.





### Self Tapping Screws

Self-Tapping screws are designed to create a thread while turned, while also being suitable for wood, sheet metal and plastics.


Features	Applications
Pan Head ANSI (Unified) Type AB point DIN / ISO 7049 C	<ul style="list-style-type: none"> <li>• Sheet Metal</li> <li>• Timber</li> <li>• Some Plastics</li> </ul>


Finish	Material	Head
Zinc Plated	Carbon Steel C1022	Pan PhillipsRecess

Product Code SKU	Gauge		Length	Threads per inch (TPI)	Thread Length (mm)	Diameter	Head Diameter	Head Height	Phillips Drive
	#	(mm)	(inch)			D(mm)	A(mm)	H(mm)	#
STP1212	12	5.5	1/2"	14	Full	5.31 - 5.46	1.34 - 10.79	3.53 - 3.83	3
STP1216	12	5.5	5/8"	14	Full	5.31 - 5.46	1.34 - 10.79	3.53 - 3.83	3
STP1220	12	5.5	3/4"	14	Full	5.31 - 5.46	1.34 - 10.79	3.53 - 3.83	3
STP1225	12	5.5	1"	14	Full	5.31 - 5.46	1.34 - 10.79	3.53 - 3.83	3
STP1230	12	5.5	1-1/4"	14	Full	5.31 - 5.46	1.34 - 10.79	3.53 - 3.83	3
STP1240	12	5.5	1-1/2"	14	Full	5.31 - 5.46	1.34 - 10.79	3.53 - 3.83	3
STP1250	12	5.5	2"	14	Full	5.31 - 5.46	1.34 - 10.79	3.53 - 3.83	3
STP1260	12	5.5	2-1/2"	14	Full	5.31 - 5.46	1.34 - 10.79	3.53 - 3.83	3
STP1275	12	5.5	3"	14	Full	5.31 - 5.46	1.34 - 10.79	3.53 - 3.83	3

1300 532 803  
[sales@tower-tr.com.au](mailto:sales@tower-tr.com.au)  
[www.tower-tr.com.au](http://www.tower-tr.com.au)

Disclaimer: every effort has been made to ensure the information provided in this document is accurate and up to date. However, Tower Fastening System does not guarantee or warrant the accuracy, completeness, or currency of the information provided.





## Self Tapping Screws

Self-Tapping screws are designed to create a thread while turned, while also being suitable for wood, sheet metal and plastics.

Features	Applications
Pan Head ANSI (Unified) Type AB point DIN / ISO 7049 C	<ul style="list-style-type: none"> <li>• Sheet Metal</li> <li>• Timber</li> <li>• Some Plastics</li> </ul>

Finish	Material	Head
Zinc Plated	Carbon Steel C1022	Pan PhillipsRecess

Product Code SKU	Gauge		Length		Threads per inch (TPI)	Thread Length		Diameter		Head Diameter		Head Height		Phillips Drive	
	#	(mm)	(inch)			(mm)		D(mm)		A(mm)		H(mm)		(#)	
STP1412	14	6.3	1/2"		14	Full		6.02 - 6.25		12.01 - 12.49		4.11 - 4.44		3	
STP1416	14	6.3	5/8"		14	Full		6.02 - 6.25		12.01 - 12.49		4.11 - 4.44		3	
STP1420	14	6.3	3/4"		14	Full		6.02 - 6.25		12.01 - 12.49		4.11 - 4.44		3	
STP1425	14	6.3	1"		14	Full		6.02 - 6.25		12.01 - 12.49		4.11 - 4.44		3	
STP1430	14	6.3	1-1/4"		14	Full		6.02 - 6.25		12.01 - 12.49		4.11 - 4.44		3	
STP1440	14	6.3	1-1/2"		14	Full		6.02 - 6.25		12.01 - 12.49		4.11 - 4.44		3	
STP1445	14	6.3	1-3/4"		14	Full		6.02 - 6.25		12.01 - 12.49		4.11 - 4.44		3	
STP1450	14	6.3	2"		14	Full		6.02 - 6.25		12.01 - 12.49		4.11 - 4.44		3	
STP1460	14	6.3	2-1/2"		14	Full		6.02 - 6.25		12.01 - 12.49		4.11 - 4.44		3	
STP1475	14	6.3	3"		14	Full		6.02 - 6.25		12.01 - 12.49		4.11 - 4.44		3	
STP1490	14	6.3	3-1/2"		14	Full		6.02 - 6.25		12.01 - 12.49		4.11 - 4.44		3	
STP14100	14	6.3	4"		14	Full		6.02 - 6.25		12.01 - 12.49		4.11 - 4.44		3	

1300 532 803  
[sales@tower-tr.com.au](mailto:sales@tower-tr.com.au)  
[www.tower-tr.com.au](http://www.tower-tr.com.au)

Disclaimer: every effort has been made to ensure the information provided in this document is accurate and up to date. However, Tower Fastening System does not guarantee or warrant the accuracy, completeness, or currency of the information provided.

