



Type 17 Screws



Features	Applications	Installation Speed	Drill Capacity
Type 17 screws are a thread cutting screw for wood. Designed with a coarse tapping screw thread and a sharp point for capturing wood chips.	<ul style="list-style-type: none"> Fix timber to timber Fix thin steel to timber Substrates where a flush finish is required 	1500 RPM max drill speed	<1.0mm thin steel

Finish	Material	Head
Zinc Yellow Plated	Carbon Steel	Countersunk Phillips Recess

Product Code SKU	Gauge		Length	Threads per inch (TPI)	Thread Length	Diameter (Max)	Head Diameter (Max)	Phillips Drive	Cutting Length
	#	(mm)	(mm)		TL(mm)	D(mm)	A(mm)	#	(mm)
T17CY0612	6	3.5	12	18	Full	3.45 - 3.58	6.2 - 7.08	2	8.0 – 12.0
T17CY0616	6	3.5	16	18	Full	3.45 - 3.58	6.2 - 7.08	2	8.0 – 12.0
T17CY0620	6	3.5	20	18	Full	3.45 - 3.58	6.2 - 7.08	2	8.0 – 12.0
T17CY0625	6	3.5	25	18	Full	3.45 - 3.58	6.2 - 7.08	2	8.0 – 12.0
T17CY0650	6	3.5	50	18	Full	3.45 - 3.58	6.2 - 7.08	2	8.0 – 12.0
T17CY0820	8	4.2	20	15	Full	4.11 - 4.26	7.42 - 8.43	2	8.0 – 12.0
T17CY0825	8	4.2	25	15	Full	4.11 - 4.26	7.42 - 8.43	2	8.0 – 12.0
T17CY1030	10	4.8	30	12	Full	4.78 – 4.93	8.64 - 9.77	2	8.0 – 12.0
T17CY1040	10	4.8	40	12	Full	4.78 – 4.93	8.64 - 9.77	2	8.0 – 12.0
T17CY1050	10	4.8	50	12	Full	4.78 – 4.93	8.64 - 9.77	2	8.0 – 12.0
T17CY1075	10	4.8	75	12	Full	4.78 – 4.93	8.64 - 9.77	2	8.0 – 12.0

1300 532 803
sales@tower-tr.com.au
www.tower-tr.com.au

Disclaimer: every effort has been made to ensure the information provided in this document is accurate and up to date. However, Tower Fastening System does not guarantee or warrant the accuracy, completeness, or currency of the information provided.

