




Type 17 Screws AS3566 Class 4

Suitable for external use in heavy industrial or severe marine environments. Heavy industrial environments refer to atmosphere with medium pollution from industry. Severe marine environments refer to coastal areas with high airborne salinity. Severe marine environments refer to coastal areas with high airborne salinity. Corrosively as classified in accordance with AS 3566-2002, 5.4 and ISO 9223.








Features	Applications	Installation Speed	Drill Capacity				
Type 17 screws are a thread cutting screw for wood. Designed with a coarse tapping screw thread and a sharp point for capturing wood chips.	 Fix timber to timber Cladding to timber Roofing & Cladding to timber 	1500 RPM max drill speed	<1.0mm thin steel	Finis	sh	Material	Head
				Rus	pert [®] Plated	Carbon Steel	Hex Flange Washer With EPDM NEO washer

Product Code SKU	Gauge		Length	Threads per inch	Thread Length	Diameter (Max)	Head Diameter (Max)	Head Height	Hex. Socket	Cutting Length
	#	(mm)	(mm)	(TPI)	(mm)	D (mm)	A (mm)	H (mm)	(inch)	S (mm)
T17HCN0820	8	4.2	20	15	Full	4.11 – 4.34	9.4 - 10.29	3.71 – 4.29	1/4"	8.0-12.0
T17HCN1020	10	4.8	20	12	Full	4.78 - 4.93	10.85 – 11.45	4.7 – 5.1	5/16"	8.0 - 12.0
T17HCN1025	10	4.8	25	12	Full	4.78 - 4.93	10.85 – 11.45	4.7 – 5.1	5/16"	8.0 - 12.0
T17HCN1225	12	5.5	25	11	Full	5.46 - 5.74	14.0 - 14.2	5.08 - 6.14	5/16"	8.0 - 12.0
T17HCN1235	12	5.5	35	11	Full	5.46 - 5.74	14.0 – 14.2	5.08 - 6.14	5/16"	8.0 - 12.0
T17HCN1240	12	5.5	40	11	Full	5.46 - 5.74	14.0 - 14.2	5.08 - 6.14	5/16"	8.0 - 12.0
T17HCN1245	12	5.5	45	11	Full	5.46 - 5.74	14.0 - 14.2	5.08 - 6.14	5/16"	8.0 - 12.0
T17HCN1250	12	5.5	50	11	Full	5.46 - 5.74	14.0 - 14.2	5.08 - 6.14	5/16"	8.0 - 12.0
T17HCN1265	12	5.5	65	11	50	5.46 - 5.74	14.0 - 14.2	5.08 - 6.14	5/16"	8.0 - 12.0
T17HCN1275	12	5.5	75	11	50	5.46 - 5.74	14.0 - 14.2	5.08 - 6.14	5/16"	8.0 - 12.0

1300 532 803 sales@tower-tr.com.au www.tower-tr.com.au



Disclaimer: every effort has been made to ensure the information provided in this document is accurate and up to date. However, Tower Fastening System does not guarantee or warrant the accuracy, completeness, or currency of the information provided.